Journal of Ecology
1999, **87**,
1082–1086

Index

STANDARD PAPERS

Åberg, P. *see* **Pavia, H.**

Agyeman, V.K., Swaine, M.D. & Thompson, J. Responses of tropical forest tree seedlings to irradiance and the derivation of a light response index, 815

Alexander, H.M. *see* **Holah, J.C.**

Allen, G.A. *see* **Antos, J.A.**

Ammann, B. *see* **Tinner, W.**

Amos, L. *see* **Hartley, S.E.**

Anten, N.P.R. & Hirose, T. Interspecific differences in above-ground growth patterns result in spatial and temporal partitioning of light among species in a tall-grass meadow, 583

Antos, J.A. & Allen, G.A. Patterns of reproductive effort in male and female shrubs of *Oemleria cerasiformis:* a 6-year study, 77

Augspurger, C.K. *see* **Robertson, K.M.**

Backes, K. *see* **Gansert, D.**

Bakker, J.P. *see* **Van Wijnen, H.J.**

Band, S.R. *see* **Thompson, K.**

Barrett, S.C.H., Case, A.L. & Peters, G.B. Gender modification and resource allocation in subdioecious *Wurmbea dioica* (Colchicaceae), 123

Barrett, S.C.H. *see* **Larson, B.M.H.**

Bazzaz, F.A. *see* **Wayne, P.M.**

Bergman, I. *see* **Hörnberg, G.**

Bockelmann, A.C. & Neuhaus, R. Competitive exclusion of *Elymus athericus* from a high-stress habitat in a European salt marsh, 503

Bossuyt, B., Hermy, M. & Deckers, J. Migration of herbaceous plant species cross ancient–recent forest ecotones in central Belgium, 628

Briske, D.D. *see* **Derner, J.D.**

Brown, C.L. & Whelan, R.J. Seasonal occurrence of fire and availability of germinable seeds in *Hakea sericea* and *Petrophile sessilis*, 932

Brubaker, L.B. *see* **Gavin, D.G.**

Bruelheide, H. & Scheidel, U. Slug herbivory as a limiting factor for the geographical range of *Arnica montana*, 839

Bruelheide, H. *see* **Scheidel, U.**

Burdon, J.J. *see* **Ericson, L.**

Carnelli, A.L. *see* **Wayne, P.M.**

Carrington, M.E. & Keeley, J.E. Comparison of post-fire seedling establishment between scrub communities in mediterranean and non-mediterranean climate ecosystems, 1025

Carson, W.P. *see* **Stevens, M.H.H.**

Case, A.L. *see* **Barrett, S.C.H.**

Coffin, D.P. *see* **Fair, J.**

Cole, R.G. & Syms, C. Using spatial pattern analysis to distinguish causes of mortality: an example from kelp in north-eastern New Zealand, 963

Conedera, M. *see* **Tinner, W.**

Connolly, J. *see* **Wayne, P.M.**

Contreras, O. *see* **Lusk, C.H.**

Corbit, M., Marks, P.L. & Gardescu, S. Hedgerows as habitat corridors for forest herbs in central New York, USA, 220

Crawley, M.J. *see* **Edwards, G.R.**

Crawley, M.J. *see* **Turnbull, L.A.**

Cresswell, J.E. The influence of nectar and pollen availability on pollen transfer by individual flowers of oil-seed rape (*Brassica napus*) when pollinated by bumblebees (*Bombus lapidarius*), 670

Dale, M.R.T. *see* **Little, L.R.**

Deckers, J. *see* **Bossuyt, B.**

Derner, J.D. & Briske, D.D. Intraclonal regulation in a perennial, caespitose grass: a field evaluation of above- and below-ground resource availability, 737

D'Hertefeldt, T. & Jónsdóttir, I.S. Extensive physiological integration in intact clonal systems of *Carex arenaria*, 258

During, H.J. *see* **Pecháckova, S.**

Edwards, G.R. & Crawley, M.J. Herbivores, seed banks and seedling recruitment in mesic grassland, 423

Eguiarte, L.E. *see* **Golubov, J.**

Einsmann, J.C., Jones, R.H., Pu, M. & Mitchell, R.J. Nutrient foraging traits in 10 co-occurring plant species of contrasting life forms, 609

Ericson, L., Burdon, J.J. & Müller, W.J. Spatial and temporal dynamics of epidemics of the rust fungus *Uromyces valerianae* on populations of its host, *Valeriana*, 649

Escudero, A., Somolinos, R.C., Olano, J.M. & Rubio, A. Factors controlling the establishment of *Helianthemum squamatum*, an endemic gypsophile of semi-arid Spain, 290

Fair, J., Lauenroth, W.K. & Coffin, D.P. Demography of *Bouteloua gracilis* in a mixed prairie: analysis of genets and individuals, 233

Falinska, K. Seed bank dynamics in abandoned meadows during a 20-year period in the Bialowieza National Park, 461

Farhoush, C. *see* **Lamers, L.P.M.**

Farley, R.A. & Fitter, A.H. Temporal and spatial variation in soil resources in a deciduous woodland, 688

Farley, R.A. & Fitter, A.H. The responses of seven co-occurring woodland herbaceous perennials to localized nutrient-rich patches, 849

Fitter, A.H. *see* **Farley, R.A.**

Foster, B.L. Establishment, competition, and the distribution of native grasses among Michigan old-fields, 476

Franco, M. *see* **Golubov, J.**

Fraser, L.H. & Grime, J.P. Interacting effects of herbivory and fertility on a synthesized plant community, 514

© 1999 British Ecological Society

Journal of Ecology
1999, **87**,
1082–1086

Index

STANDARD PAPERS

Åberg, P. *see* **Pavia, H.**

Agyeman, V.K., Swaine, M.D. & Thompson, J. Responses of tropical forest tree seedlings to irradiance and the derivation of a light response index, 815

Alexander, H.M. *see* **Holah, J.C.**

Allen, G.A. *see* **Antos, J.A.**

Ammann, B. *see* **Tinner, W.**

Amos, L. *see* **Hartley, S.E.**

Anten, N.P.R. & Hirose, T. Interspecific differences in above-ground growth patterns result in spatial and temporal partitioning of light among species in a tall-grass meadow, 583

Antos, J.A. & Allen, G.A. Patterns of reproductive effort in male and female shrubs of *Oemleria cerasiformis:* a 6-year study, 77

Augspurger, C.K. *see* **Robertson, K.M.**

Backes, K. *see* **Gansert, D.**

Bakker, J.P. *see* **Van Wijnen, H.J.**

Band, S.R. *see* **Thompson, K.**

Barrett, S.C.H., Case, A.L. & Peters, G.B. Gender modification and resource allocation in subdioecious *Wurmbea dioica* (Colchicaceae), 123

Barrett, S.C.H. *see* **Larson, B.M.H.**

Bazzaz, F.A. *see* **Wayne, P.M.**

Bergman, I. *see* **Hörnberg, G.**

Bockelmann, A.C. & Neuhaus, R. Competitive exclusion of *Elymus athericus* from a high-stress habitat in a European salt marsh, 503

Bossuyt, B., Hermy, M. & Deckers, J. Migration of herbaceous plant species cross ancient–recent forest ecotones in central Belgium, 628

Briske, D.D. *see* **Derner, J.D.**

Brown, C.L. & Whelan, R.J. Seasonal occurrence of fire and availability of germinable seeds in *Hakea sericea* and *Petrophile sessilis*, 932

Brubaker, L.B. *see* **Gavin, D.G.**

Bruelheide, H. & Scheidel, U. Slug herbivory as a limiting factor for the geographical range of *Arnica montana*, 839

Bruelheide, H. *see* **Scheidel, U.**

Burdon, J.J. *see* **Ericson, L.**

Carnelli, A.L. *see* **Wayne, P.M.**

Carrington, M.E. & Keeley, J.E. Comparison of post-fire seedling establishment between scrub communities in mediterranean and non-mediterranean climate ecosystems, 1025

Carson, W.P. *see* **Stevens, M.H.H.**

Case, A.L. *see* **Barrett, S.C.H.**

Coffin, D.P. *see* **Fair, J.**

Cole, R.G. & Syms, C. Using spatial pattern analysis to distinguish causes of mortality: an example from kelp in north-eastern New Zealand, 963

Conedera, M. *see* **Tinner, W.**

Connolly, J. *see* **Wayne, P.M.**

Contreras, O. *see* **Lusk, C.H.**

Corbit, M., Marks, P.L. & Gardescu, S. Hedgerows as habitat corridors for forest herbs in central New York, USA, 220

Crawley, M.J. *see* **Edwards, G.R.**

Crawley, M.J. *see* **Turnbull, L.A.**

Cresswell, J.E. The influence of nectar and pollen availability on pollen transfer by individual flowers of oil-seed rape (*Brassica napus*) when pollinated by bumblebees (*Bombus lapidarius*), 670

Dale, M.R.T. *see* **Little, L.R.**

Deckers, J. *see* **Bossuyt, B.**

Derner, J.D. & Briske, D.D. Intraclonal regulation in a perennial, caespitose grass: a field evaluation of above- and below-ground resource availability, 737

D'Hertefeldt, T. & Jónsdóttir, I.S. Extensive physiological integration in intact clonal systems of *Carex arenaria*, 258

During, H.J. *see* **Pecháckova, S.**

Edwards, G.R. & Crawley, M.J. Herbivores, seed banks and seedling recruitment in mesic grassland, 423

Eguiarte, L.E. *see* **Golubov, J.**

Einsmann, J.C., Jones, R.H., Pu, M. & Mitchell, R.J. Nutrient foraging traits in 10 co-occurring plant species of contrasting life forms, 609

Ericson, L., Burdon, J.J. & Müller, W.J. Spatial and temporal dynamics of epidemics of the rust fungus *Uromyces valerianae* on populations of its host, *Valeriana*, 649

Escudero, A., Somolinos, R.C., Olano, J.M. & Rubio, A. Factors controlling the establishment of *Helianthemum squamatum*, an endemic gypsophile of semi-arid Spain, 290

Fair, J., Lauenroth, W.K. & Coffin, D.P. Demography of *Bouteloua gracilis* in a mixed prairie: analysis of genets and individuals, 233

Falinska, K. Seed bank dynamics in abandoned meadows during a 20-year period in the Bialowieza National Park, 461

Farhoush, C. *see* **Lamers, L.P.M.**

Farley, R.A. & Fitter, A.H. Temporal and spatial variation in soil resources in a deciduous woodland, 688

Farley, R.A. & Fitter, A.H. The responses of seven co-occurring woodland herbaceous perennials to localized nutrient-rich patches, 849

Fitter, A.H. *see* **Farley, R.A.**

Foster, B.L. Establishment, competition, and the distribution of native grasses among Michigan old-fields, 476

Franco, M. *see* **Golubov, J.**

Fraser, L.H. & Grime, J.P. Interacting effects of herbivory and fertility on a synthesized plant community, 514

© 1999 British Ecological Society

Gagnon, D. *see* **Nantel, P.**

Gansert, D., Backes, K. & Kakubari, Y. Altitudinal and seasonal variation of frost resistance of *Fagus crenata* and *Betula ermanii* along the Pacific slope of Mt. Fuji, Japan, 382

Gardescu, S. *see* **Corbit, M.**

Gaston, K.J. *see* **Thompson, K.**

Gavin, D.G & Brubaker, L.B. A 6000-year soil pollen record of subalpine meadow vegetation in the Olympic Mountains, Washington, USA, 106

Givnish, T.J. On the causes of gradients in tropical tree diversity, 193

Goldberg, D.E. *see* **Nash Suding, K.**

Golubov, J., Mandujano, M.D.C., Franco, M., Montaña, C., Eguiarte, L.E. & Lopez-Portillo, J. Demography of the invasive woody perennial *Prosopis glandulosa* (honey mesquite), 955

Grime, J.P. *see* **Fraser, L.H.**

Groenendael, J.G.M. *see* **Lamers, L.P.M.**

Hallgren, E., Palmer, M.W. & Milberg, P. Data diving with cross-validation: an investigation of broad-scale gradients in Swedish weed communities, 1037

Hara, T. *see* **Suzuki, J.**

Hartley, S.E. & Amos, L. Competitive interactions between *Nardus stricta* L. and *Calluna vulgaris* (L.) Hull: the effect of fertilizer and defoliation on above- and below-ground performance, 330

Herben, T. *see* **Pecháckovά, S.**

Herben, T. *see* **Suzuki, J.**

Hermy, M. *see* **Bossuyt, B.**

Hirose, T. *see* **Anten, N.P.R.**

Holah, J.C. & Alexander, H.M. Soil pathogenic fungi have the potential to affect the co-existence of two tallgrass prairie species, 598

Hörnberg, G., Östlund, L., Zackrisson, O. & Bergman, I. The genesis of two *Picea–Cladina* forests in northern Sweden, 800

Houle, G. Mast seeding in *Abies balsamea*, *Acer saccharum* and *Betula alleghaniensis* in an old growth, cold temperate forest of north-eastern North America, 413

Hubschmid, P. *see* **Tinner, W.**

Hutchings, M.J. *see* **Wijesinghe, D.K.**

Jones, R.H. *see* **Einsmann, J.C.**

Jónsdóttir, I.S. *see* **D'Hertefeldt, T.**

Jumpponen, A., Vare, H., Mattson, K.G., Ohtonen, R. & Trappe, J.M. Characterization of 'safe sites' for pioneers in primary succession on recently deglaciated terrain, 98

Kakubari, Y. *see* **Gansert, D.**

Karlsson, P.S. *see* **Weih, M.**

Kawaguchi, H. *see* **Nanami, S.**

Kawano, S. *see* **Kudoh, H.**

Keeley, J.E. *see* **Carrington, M.E.**

King, D.A. & Maindonald, J.H. Tree architecture in relation to leaf dimensions and tree stature in temperate and tropical rain forests, 1012

Kleijn, D. & Van Groenendael, J.M. The exploitation of heterogeneity by a clonal plant in habitats with contrasting productivity levels, 873

Krahulec, F. *see* **Suzuki, J.**

Kudoh, H., Shibaike, H., Takasu, H., Whigham, D.F. & Kawano, S. Genet structure and determinants of clonal structure in a temperate deciduous woodland herb, *Uvularia perfoliata*, 244

Kurina, L.M. & Vitousek, P.M. Controls over the accumulation and decline of a nitrogen-fixed lichen, *Stereocaulon vulcani*, on young Hawaiian lava flows, 784

Kyereh, B., Swaine, M.D. & Thompson, J. Effect of light on the germination of forest trees in Ghana, 772

Lamb, D. *see* **Penfold, G.C.**

Lamers, L.P.M., Farhoush, C., Van Groenendael, J.M. & Roelofs, J.G.M. Calcareous groundwater raises bogs; the concept of ombrotrophy revisited, 639

Larson, B.M.H. & Barrett, S.C.H. The ecology of pollen limitation in buzz-pollinated *Rhexia virginica* (Melastomataceae), 371

Lauenroth, W.K. *see* **Fair, J.**

Little, L.R. & Dale, M.R.T. A method for analysing spatio-temporal pattern in plant establishment, tested on a *Populus balsamifera* clone, 620

Lopez-Portillo, J. *see* **Golubov, J.**

Lusk, C.H. & Contreras, O. Foliage area and crown nitrogen turnover in temperate rain forest juvenile trees of differing shade tolerance, 973

Macdonald, S.E. & Yin, F. Factors influencing size inequality in peatland black spruce and tamarack: evidence from post-drainage release growth, 404

Maindonald, J.H. *see* **King, D.A.**

Mandujano, M.D.C. *see* **Golubov, J.**

Marchant, R.A. *see* **Taylor, D**

Marks, P.L. *see* **Corbit, M.**

Mattson, K.G. *see* **Jumpponen, A.**

Meyer, A.H & Schmid, B. Experimental demography of the old-field perennial *Solidago altissima*: the dynamics of the shoot population, 17

Meyer, A.H. & Schmid, B. Seed dynamics and seedling establishment in the invading perennial *Solidago altissima* under different experimental treatments, 28

Meyer, A.H. & Schmid, B. Experimental demography of rhizome populations of establishing clones of *Solidago altissima*, 42

Milberg, P. *see* **Hallgren, E.**

Mitchell, R.J. *see* **Einsmann, J.C.**

Montaña, C. *see* **Golubov, J.**

Müller, W.J. *see* **Ericson, L.**

Nanami, S., Kawaguchi, H. & Yamakura, T. Dioecy-induced spatial patterns of two codominant tree species, *Podocarpus nagi* and *Neolitsea aciculata*, 678

Nantel, P. & Gagnon, D. Variability in the dynamics of northern peripheral versus southern populations of two clonal plant species, *Helianthus divaricatus* and *Rhus aromatica*, 748

© 1999 British Ecological Society,

Nash Suding, K. & Goldberg, D.E. Variation in the effects of vegetation and litter on recruitment across productivity gradients, 436
Nathan, R., Safriel, U.N., Noy-Meir, I. & Schiller, G. Seed release without fire in *Pinus halepensis*, a Mediterranean serotinous wind-dispersed tree, 659
Neuhaus, R. *see* **Bockelmann, A.C.**
Nicotra, A.B. Reproductive allocation and the long-term costs of reproduction in *Siparuna grandiflora*, a dioecious neo-tropical shrub, 138
Nilsson, C. *see* **Xiong, S.**
Noy-Meir, I. *see* **Nathan, R.**

Ohtonen, R. *see* **Jumpponen, A.**
Olano, J.M. *see* **Escudero, A.**
Östlund, L. *see* **Hörnberg, G.**

Palmer, M.W. *see* **Hallgren, E.**
Pavia, H., Toth, G. & Åberg, P. Trade-offs between phlorotannin production and annual growth in natural populations of the brown seaweed *Ascophyllum nodosum*, 761
Pecháckovά, S., During, H.J., Rydlová, V. & Herben, T. Species-specific spatial pattern of below-ground plant parts in a montane grassland community, 569
Penfold, G.C. & Lamb, D. Species co-existence in an Australian subtropical rain forest: evidence for compensatory mortality, 316
Peters, G.B. *see* **Barrett, S.C.H.**
Piqueras, J. Herbivory and ramet performance in the clonal herb *Trientalis europaea* L., 450
Piqueras, J. Infection of *Trientalis europaea* by the systemic smut fungus *Urocystis trientalis*: disease incidence, transmission and effects on performance of host ramets, 995
Preston, K.A. Can plasticity compensate for architectural constraints on reproduction? Patterns of seed production and carbohydrate, 697
Pu, M. *see* **Einsmann, J.C.**

Rastetter, E.B. *see* **Williams, M.**
Rees, M. *see* **Turnbull, L.A.**
Robertshaw, P. *see* **Taylor, D.**
Robertson, K.M. & Augspurger, C.K. Geomorphic processes and spatial patterns of primary forest succession on the Bogue Chitto River, USA, 1052
Roelofs, J.G.M. *see* **Lamers, L.P.M.**
Rubio, A. *see* **Escudero, A.**
Rydlová, V. *see* **Pecháckovά, S.**

Safriel, U.N. *see* **Nathan, R.**
Scariot, A. Forest fragmentation effects on palm diversity in central Amazonia, 66
Scheidel, U. & Bruelheide, H. Selective slug grazing on montane meadow plants, 828
Scheidel, U. *see* **Bruelheide, H.**
Schiller, G. *see* **Nathan, R.**
Schmid, B. *see* **Meyer, A.H.**
Shibaike, H. *see* **Kudoh, H.**
Somolinos, R.C. *see* **Escudero, A.**
Stevens, M.H.H. & Carson, W.P. The significance of assemblage level thinning for species richness, 490
Suzuki, J., Herben, T., Krahulec, F. & Hara, T. Size and spatial pattern of *Festuca rubra* genets in a mountain grassland: its relevance to genet establishment and dynamics, 942
Svenning, J-C. Microhabitat specialization in a species-rich palm community in Amazonian Ecuador, 55
Swaine, M.D. *see* **Agyeman, V.K.**
Swaine, M.D. *see* **Kyereh, B.**
Syms, C. *see* **Cole, R.G.**

Takasu, H. *see* **Kudoh, H.**
Taylor, D., Marchant, R.A. & Robertshaw, P. A sediment-based history of medium altitude forest in central Africa: a record from Kabata Swamp, Ndale volcanic field, Uganda, 303
Thompson, J. *see* **Agyeman, V.K.**
Thompson, J. *see* **Kyereh, B.**
Thompson, K., Gaston, K.J. & Band, S.R. Range size, dispersal and niche breadth in the herbaceous flora of central England, 150
Tinner, W., Hubschmid, P., Wehrli, M., Ammann, B. & Conedera, M. Long-term forest-fire ecology and dynamics in southern Switzerland, 273
Toth, G. *see* **Pavia, H.**
Trappe, J.M. *see* **Jumpponen, A.**
Turnbull, L.A., Rees, M. & Crawley, M.J. Seed mass and the competition/colonization trade-off: a sowing experiment, 899

Van Groenendael, J.M. *see* **Kleijn, D.**
Van Groenendael, J.M. *see* **Lamers, L.P.M.**
Van Wijnen, H.J. & Bakker, J.P. Nitrogen and phosphorus limitation in a coastal barrier salt marsh: the implications for vegetation succession, 265
Vare, H. *see* **Jumpponen, A.**
Vitousek, P.M. *see* **Kurina, L.M.**

Wayne, P.M., Carnelli, A.L., Connolly, J. & Bazzaz, F.A. The density dependence of plant responses to elevated CO_2, 183
Wehrli, M. *see* **Tinner, W.**
Weih, M. & Karlsson, P.S. The nitrogen economy of mountain birch seedlings: implications for winter survival, 211
Weiher, E. The combined effects of scale and productivity on species richness, 1005
Westoby, M. *see* **Wright, I.J.**
Whelan, R.J. *see* **Brown, C.L.**
Whigham, D.F. *see* **Kudoh, H.**
Wijesinghe, D.K. & Hutchings, M.J. The effects of environmental heterogeneity on the performance of *Glechoma hederacea*: the interactions between patch contrast and patch scale, 860
Williams, M. & Rastetter, E.B. Vegetation characteristics and primary productivity along an arctic transect: implications for scaling up, 885
Worbes, M. Annual growth rings, rainfall-dependent growth and long-term growth patterns of tropical

© 1999 British Ecological Society,

trees from the Caparo Forest Reserve in Venezuela, 391

Wright, I.J. & Westoby, M. Differences in seedling growth behaviour among species: trait correlations across species, and trait shifts along nutrient compared to rainfall gradients, 85

Xiong, S. & Nilsson, C. The effects of plant litter on vegetation: a meta-analysis, 984

Yamakura, T. *see* **Nanami, S.**
Yin, F. *see* **Macdonald, S.E.**

Zackrisson, O. *see* **Hörnberg, G.**

ESSAY REVIEWS

Gibson, D.J., Connolly, J., Hartnett, D.C. & Weidenhamer, J.D. Designs for greenhouse studies of interactions between plants, 1

Ouborg, N.J, Piquot, Y. & Van Groenendael, J.M. Population genetics, molecular markers and the study of dispersal in plants, 551

FORUM PAPERS

Gibson, D.J., Ely, J.S. & Collins, S.L. The core–satellite species hypothesis provides a theoretical basis for Grime's classification of dominant, subordinate, and transient species, 1064

Heil, M. Systemic acquired resistance: available information and open ecological questions, 341

Neuvonen, S. Random foraging by herbivores: complex patterns may be due to plant architecture, 526

BIOLOGICAL FLORA OF THE BRITISH ISLES

Clabby, G. & Osborne, B.A. *Mycelis muralis* (L.) Dumort. (*Lactuca muralis* (L.) Gaertner), 156

Hutchings, M.J. & Price, E.A.C. *Glechoma hederacea* L. (*Nepeta glechoma* Benth., *N. hederacea* (L.) Trev.), 347

Kull, T. *Cyripedium calceolus* L., 913

Taylor, K. *Cornus suecica* L. (*Chamaepericlymenum suecicum* (L.) Ascherson & Graebner), 1068

Taylor, K. *Galium aparine* L., 713

Tofts, R. *Cirsium eriophorum* (L.) Scop.(*Carduus eriophorus* L.; *Cnicus eriophorus* (L.) Roth), 529

BOOK REVIEWS

Ambasht, R.S. *Modern Trends in Ecology and Environment*, 176

Bailey, R.G., Jose, P.V. & Sherwood, B.R. *United Kingdom Floodplains*, 365

Balée, W. *Advances in Historical Ecology*, 367

Baskin, C.C. & Baskin, J.M. *Seeds: Ecology, Biogeography, and Evolution of Dormancy and Germination*, 174

Bretschko, G. & Helešic, J. *Advances in River Bottom Ecology*, 732

Calow, P., Falk, D.A., Grace, J., Moore, P.D., Shorrocks, B. & Stearns, S.C. *The Encyclopedia of Ecology and Environmental Management*, 366

Dahl, E. *The Phytogeography of Northern Europe (British Isles, Fennoscandia and Adjacent Areas)*, 731

Dytham, C. *Choosing and Using Statistics: A Biologist's Guide*, 734

Ebert, T.A. *Plant and Animal Populations: Methods in Demography*, 546

Fowler, J., Cohne, L. & Jarvis, P. *Practical Statistics for Field Biology*, 174

French, P.W. *Coastal and Estuarine Management*, 173

Goldsmith, F.B. *Tropical Rain Forest: A Wider Perspective*, 1078

Hilborn, R. & Mangel, M. *The Ecological Detective: Confronting Models with Data*, 366

Hofbauer, J. & Sigmund, K. *Evolutionary Games and Population Dynamics*, 545

Jarvis, P.G. *European Forests and Global Change: The Likely Impact of Rising CO_2 and Temperature*, 548

Joyce, C.B. & Wade, P.M. *European Wet Grasslands: Biodiversity, Management and Restoration*, 549

Lambers, H., Chapin, F.S. III & Pons, T.L. *Plant Physiological Ecology*, 927

Lambers, H., Poorter, H. & Van Vuuren, M.M.I. *Inherent Variation in Plant Growth*, 547

Lambert, R.A. *Species History in Scotland*, 732

Laumonier, Y. *The Vegetation and Physiography of Sumatra*, 368

Moreno, J.M. *Large Forest Fires*, 175

Moss, B. *Ecology of Fresh waters: Man and Medium, Past to Future*, 176

Newbery, D.M., Prins, H.H.T. & Brown, N. *Dynamics of Tropical Communities*, 543

Peterson, D.L. & Parker, V.T. *Ecological Scale: Theory and Applications*, 1079

Richardson, D.M. *Ecology and Biogeography of* Pinus, 173

Schieving, F. *Plato's Plant. On the Mathematical Structure of Simple Plants and Canopies*, 735

Sheail, J. *Nature Conservation in Britain: The Formative Years*, 928

Starfinger, U., Edwards, K., Kowarik, I. & Williamson, M. *Plant Invasions: Ecological Mechanisms and Human Responses*, 929

Talling, J.F. & Lemoalle, J. *Ecological Dynamics of Tropical Inland Waters*, 733

Urbanska, K.M., Webb, N.R. & Edwards, P.J. *Restoration Ecology and Sustainable Development*, 543

Wadsworth, R. & Treweek, J. *Geographical Information Systems for Ecology. An Introduction*, 1080

Westlake, D.F., Květ, J. & Szczepański, A. *The Production Ecology of Wetlands*, 735

Wielgolaski, F.E. *Ecosystems of the World. 3. Polar and Alpine Tundra*, 925

Yamada, I. *Tropical Rain Forests of Southeast Asia*, 1078

© 1999 British Ecological Society,

SHORT REVIEWS

Baretta-Bekker, H.J.G., Duursma, E.K. & Kuipers, B.R. *Encyclopedia of Marine Sciences*, 2nd edn, 550

Bolen, E.G. *Ecology of North America*, 177

Brown, D.E., Reichenbacher, F. & Franson, S.E. *A Classification of North American Biotic Communities*, 178

Burga, C.A. & Perret, R. *Vegetation und Klima der Schweiz seit dem jungeren Eiszeitalter*, 369

Burkhardt, F. *Charles Darwin's Letters: A Selection, 1825–1859*, 930

Cheplick, G.P. *Population Biology of Grasses*, 550

De Kok, L.J. & Stulen, I. *Responses of Plant Metabolism to Air Pollution and Global Change*, 550

Everson, P. & Williamson, T. *The Archaeology of Landscape*, 930

Gaston, K.J. & Spicer, J.I. *Biodiversity: An Introduction*, 178

Gotelli. N.J. *A Primer of Ecology*, 2nd edn, 369

Kareiva, F.P. *Exploring Ecology and its Applications*, 177

Mairota, P., Thornes, J.B. & Geeson, N. *Atlas of Mediterranean Environments in Europe: the Desertification Context*, 369

Margulis, L. & Schwatrz, K.V. *Five Kingdoms: An Illustrated Guide to the Phyla of Life on Earth*, 178

Prince, H. *Wetlands of the American Midwest: A Historical Geography of Changing Attitudes*, 177

Proctor, J. *Scottish Vegetation: Plant Ecology in Scotland*, 178

Rodwell, J.S. *British Plant Communities*: 1, *Woodlands and Scrub*; 2, *Mires and Heaths*; 3, *Grasslands and Montane Communities*; 4, *Aquatic Communities, Swamps and Tall-Herb Fens*, 178

Sinclair, T.R. & Gardner, F.P. *Principles of Ecology in Plant Production*, 178

Stace, C. *Field Flora of the British Isles*, 930

© 1999 British
Ecological Society,

Journal of Ecology